

Safety Data Sheet

Revision Date: 8/23/2019

Section 1: Chemical Identification

1.1 Chemical Identification

Product Name: ProBlock™ Gold Protease Inhibitor Cocktail
Alternative Name:
Catalog Number: GB-108

1.2 Relevant Uses and Uses Advised Against

Recommended use: Suitable for the protection of proteins during purification from animal tissues, plant tissues, yeast and bacteria. This product is not

1.3 Supplier Contact Information

Distributed by: Gold Biotechnology, Inc.
1328 Ashby Rd.
St. Louis, MO 63132
Phone: (314) 890-8778
Fax: (314) 890-0503
Email: contactgoldbio86@goldbio.com

1.4 Emergency Contact Information

Emergency Phone: (800)248-7609 (Monday-Friday, 9:00 a.m. – 5:00 p.m. CST)

Section 2: Hazardous Information

2.1 GHS Classification

Skin Irritation (Category 2)
Eye Irritation (Category 2A)
Specific Target Organ Toxicity, Single Exposure (Category 3)
Flammable Liquid (Category 4)

2.2 GHS Label Elements, Including Precautionary statements



Warning

2.3 Hazard Statements

H227: Combustible liquid
H301: Toxic if swallowed
H303: May be harmful if swallowed
H314: Causes severe skin burns and eye damage
H318: Causes serious eye damage

Gold Biotechnology
St. Louis, MO
Ph: (314)890-8778
Web: www.goldbio.com
Email: contactgoldbio86@goldbio.com

2.4 Precautionary Statements

- P210:** Keep away from heat/sparks/open flames/hot surfaces – No smoking
P260: Do not breathe dust/fume/gas/mist/vapours/spray
P264: Wash skin thoroughly after handling
P270: Do not eat, drink or smoke when using this product
P280: Wear protective gloves/protective clothing/eye protection/face protection
P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P310: Immediately call a POISON CENTER or doctor/physician
P321: Specific treatment (see First Aid Measures on this label)
P363: Wash contaminated clothing before reuse
P370+378: In case of fire: Use dry sand, dry chemical, or alcohol resistant foam for extinction
P403+235: Store in a well ventilated place. Keep cool
P405: Store locked up
P501: Dispose of contents/container to an approved waste disposal plant

2.5 OSHA Hazards

Irritant, Combustible liquid

2.6 Target Organs

Respiratory tract

2.8 HMIS Classification

Health Hazard:	1
Chronic Health Hazard:	*
Flammability:	2
Physical Hazards:	0

2.9 NFPA Rating

Health Hazard:	1
Fire:	2
Reactivity Hazard:	0

Section 3: Composition/Information on Ingredients

3.1 Composition

Identity: Dimethyl sulfoxide
IUPAC: methylsulfinylmethane
Synonyms:
CAS Number: 67-68-5 [95-100%]
Molecular Formula: C₂H₆OS
Molecular Weight: 78.13 g/mol

Gold Biotechnology
St. Louis, MO
Ph: (314)890-8778
Web: www.goldbio.com
Email: contactgoldbio86@goldbio.com

Identity: AEBSF
IUPAC: 4-(2-aminoethyl)benzenesulfonyl fluoride;hydrochloride

Synonyms:

CAS Number: 30827-99-7 [<2%]

Molecular Formula: C₈H₁₁ClFNO₂S

Molecular Weight: 239.69 g/mol

Identity: PMSF
IUPAC: phenylmethanesulfonyl fluoride

Synonyms: Alpha-toluenesulfonyl fluoride

CAS Number: 329-98-6 [<2%]

Molecular Formula: C₇H₇FO₂S

Molecular Weight: 174.19 g/mol

Identity: Aprotinin

IUPAC:

Synonyms: Iniprol, Trasylol, Trazinin

CAS Number: 9087-70-1 [<2%]

Molecular Formula: C₂₈₄H₄₃₂N₈₄O₇₉S₇

Molecular Weight: 6,511.44 g/mol

Identity: Bestatin

IUPAC: (2S)-2-[[[(2S,3R)-3-amino-2-hydroxy-4-phenylbutanoyl]amino]-4-methylpentanoic acid

Synonyms:

CAS Number: 58970-76-6 [<2%]

Molecular Formula: C₁₆H₂₄N₂O₄

Molecular Weight: 308.37 g/mol

Identity: E-64

IUPAC: (2S,3S)-3-[[[(2S)-1-[4-(diaminomethylideneamino)butylamino]-4-methyl-1-oxopentan-2-yl]carbonyl]oxirane-2-carboxylic acid

Synonyms:

CAS Number: 66701-25-5 [<2%]

Molecular Formula: C₁₅H₂₇N₅O₅

Molecular Weight: 357.40 g/mol

Identity: Leupeptin hemisulfate salt

IUPAC: salt 2-acetamido-N-[1-[[5-(diaminomethylideneamino)-1-oxopentan-2-yl]amino]-4-methyl-1-oxopentan-2-yl]-4-methylpentanamide;

Synonyms:

CAS Number: 103476-89-7 [<2%]

Molecular Formula:	C ₂₀ H ₃₈ N ₆ O ₄ · 1/2 H ₂ SO ₄
Molecular Weight:	475.59 g/mol
Identity:	Pepstatin A
IUPAC:	(3S,4S)-3-hydroxy-4-[[[(2S)-2-[[[(3S,4S)-3-hydroxy-6-methyl-4-[[[(2S)-3-methyl-2-[[[(2S)-3-methyl-2-(3-methylbutanoylamino)butanoyl]amino]
Synonyms:	Ahpatinin C
CAS Number:	26305-03-3 [<2%]
Molecular Formula:	C ₃₄ H ₆₃ N ₅ O ₉
Molecular Weight:	685.89 g/mol

Section 4: First Aid Measures

4.1 Detailed First Aid Measures

Inhalation:	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
Skin:	Immediately wash skin copiously with soap and water. Take victim immediately to hospital. Consult a physician.
Eye:	Immediately rinse out with water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Consult a physician.
Ingestion:	Wash out mouth with water. Drink plenty of water. Consult a physician. Never give anything by mouth to an unconscious person.
Notes to Physician:	Treat symptomatically and supportively.

4.2 Most Important Symptoms And Effects, Either Acute Or Delayed

The most important known symptoms and effects are described in the labeling (see section 2). And /or in section 11.

4.3 Indication of immediate medical attention and special treatment needed

Not available

Section 5: Fire Fighting Measures

5.1 Conditions of flammability:

Combustible liquid. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard.

5.2 Suitable extinguishing media:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.3 Specific hazards arising from the chemical

During a fire, highly toxic gases may be generated by thermal decomposition or combustion – Unknown.

5.4 Specific protective actions for fire-fighters:

Wear self-contained breathing apparatus and protective clothing to prevent contact with

skin and eyes.

Section 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

6.2 Environmental precautions:

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up:

Soak up with absorbent material, discard.

Section 7: Handling and Storage

7.1 Precautions for safe handling:

Always wear personal protective equipment (PPE, see section 8).

7.2 Conditions for safe storage, including and incompatibilities:

Keep container tightly closed.

Store at 4°C.

Section 8: Exposure Controls / Personal Protection

8.1 Control Parameters:

Contains no substances with occupational exposure limit values.

8.2: Appropriate engineering controls:

Contains no substances with occupational exposure limit values.

8.3 Personal Protective Equipment (PPE):

Eye/Face Protection: Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin Protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique - without touching outer surface of glove - to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory Protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Other Protective Clothing or Equipment: Wear appropriate protective clothing to prevent exposure.

Control Parameters - Workplace

<u>Component:</u>	<u>CAS-No:</u>	<u>Value:</u>
DMSO	67-68-5	TWA

Control

Parameters:
250 ppm

Basis:

USA. Workplace
Environmental Exposure Levels
(WEEL)

Section 9: Physical and Chemical Properties

9.1 General chemical and physical properties

Appearance:	Liquid
Odor:	Not Available
Odor Threshold:	Not Available
pH:	Not Available
Melting Point:	Not Available
Freezing Point:	Not Available
Boiling Point/Range:	Not Available
Flash Point:	Not Available
Evaporation Rate:	Not Available
Lower Explosion Limit:	Not Available
Upper Explosion Limit:	Not Available
Vapor Pressure:	Not Available
Vapor Density:	Not Available
Relative Density:	Not Available
Solubility:	Not Available
Partition Coefficient n-octanol/water:	Not Available
Auto-Ignition Temperature:	Not Available
Decomposition Temperature:	Not Available
Viscosity:	Not Available

Section 10: Stability and Reactivity Data

10.1 Reactivity:

Not available

10.2 Chemical Stability:

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions:

Not available.

10.4 Conditions to avoid:

Heat, flames and sparks.

10.5 Incompatible materials:

Strong oxidizing agents.

10.6 Hazardous decomposition products:

Hazardous decomposition products formed under fire conditions. - Unknown.

Section 11: Toxicological Information

11.1 Toxicological effects

Acute toxicity:

Dimethyl sulfoxide	Oral:	LD ₅₀ (Rat) - 14,500 mg/kg
Dimethyl sulfoxide	Skin:	LD ₅₀ (Rabbit) - 5000 mg/kg
Dimethyl sulfoxide	Inhalation:	LD ₅₀ (Rat) - 4 h - 40250 ppm

Skin corrosion/irritation:

Mild skin irritation.

Respiratory or skin sensitization:

Not available.

Germ cell mutagenicity:

- Mouse - lymphocyte - Cytogenetic analysis
- Mouse - lymphocyte - Mutation in mammalian somatic cells
- Rat - Cytogenetic analysis
- Mouse - DNA damage

Carcinogenicity:

- IARC:** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH:** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.
- NTP:** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity:

Reproductive toxicity - Rat - Intraperitoneal - Effects on Fertility: Abortion. Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).

Reproductive toxicity - Rat - Subcutaneous - Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants). Litter

size (e.g.; # fetuses per litter; measured before birth).

Reproductive toxicity - Mouse - Oral - Effects on Fertility: Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea). Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Specific Developmental Abnormalities: Musculoskeletal system.

Developmental Toxicity - Mouse - Intraperitoneal - Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Musculoskeletal system.

STOT-single exposure:

Not available.

STOT-repeated exposure:

Not available.

Aspiration hazard:

Not available.

Likely routes of exposure:

Respiratory organs, mouth, skin, and eyes.

Symptoms of exposure:

Effects due to ingestion may include; Nausea, Fatigue, Headache.

Exposure to large amounts can cause; redness of skin, Itching, burning, sedation, Headache, Nausea, Dizziness.

To the best of our knowledge, the chemical, physical, and toxicological properties have

Additional Information:

RTECS: PV6210000 Carcinogenicity (Rat) -Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Skin and Appendages:

Other: Tumors.

Carcinogenicity (Mouse) -Oral

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Leukaemia Skin and Appendages: Other: Tumors.

Eyes - Eye disease - Based on Human Evidence

Section 12: Ecological Information

12.1 Toxicity:

Toxicity to fish:

LC50 (Pimephales promelas) = 34000 mg/L - 96h
LC50 (Oncorhynchus mykiss) = 35000 mg/L - 96h
Toxicity to daphnia: EC50 (Daphnia magna) = 24600 mg/L – 48h (OECD Test Guideline 202)
Toxicity to algae: EC50 (Pseudokirchneriella subcapitata) = 17000 mg/L – 72h (OECD Test Guideline 201)

12.2 Persistence and degradability:

Biodegradability

Result: 31%

According to the results of tests of biodegradability this product is not readily biodegradable. (OECD Test Guideline 301D)

12.3 Bioaccumulative potential:

Not available.

12.4 Mobility in soil:

Not available.

12.5 Other adverse effects:

Stability in water - 0.12 - 1.2 h at 30°C

Remarks: Hydrolyses readily.

Section 13 Disposal Considerations

Dispose of product in accordance with local rules and regulations.

Section 14: Transport Information

14.1 US Department of Transportation (DOT)

This material is considered to be non-hazardous for transport.

14.2 International Maritime Dangerous Goods (IMDG):

UN Number:	1993
Proper shipping name:	Combustible liquid, n.o.s (Dimethyl sulfoxide)
Class:	None
Packing Group:	III
Marine Pollutant:	No

14.2 International Air Transportation Association (IATA)

This material is considered to be non-hazardous for transport.

Section 15: Regulatory Information

SARA 302 Components:

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components:

SARA 313: This material does not contain any chemical components with known CAS

numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards:

No SARA Hazards.

Massachusetts Right To Know Components:

Dimethyl sulfoxide	CAS - No. 67-68-5 [95-100%]
AEBSF	30827-99-7 [<2%]
PMSF	329-98-6 [<2%]
Aprotinin	9087-70-1 [<2%]
Bestatin	58970-76-6 [<2%]

Pennsylvania Right To Know Components:

Dimethyl sulfoxide	CAS - No. 67-68-5 [95-100%]
AEBSF	30827-99-7 [<2%]
PMSF	329-98-6 [<2%]
Aprotinin	9087-70-1 [<2%]
Bestatin	58970-76-6 [<2%]

New Jersey Right To Know Components:

Dimethyl sulfoxide	CAS - No. 67-68-5 [95-100%]
AEBSF	30827-99-7 [<2%]
PMSF	329-98-6 [<2%]
Aprotinin	9087-70-1 [<2%]
Bestatin	58970-76-6 [<2%]

California Prop. 65 Components:

This product does not contain any chemical known to the State of California to cause cancer, birth, or any other reproductive defects.

Section 16: Other Information

While Gold Biotechnology, Inc. believes the information contained herein to be true and accurate, it has relied on information provided by others. Gold Biotechnology, INC. makes no warranties, express or implied, as to the accuracy or adequacy of the information contained herein or with respect to the results to be obtained from the use of the product. Gold Biotechnology, Inc. disclaims all liability with respect to the use of this product, including without limitation, liability for injury to the user or third-party persons.

Preparation Information

Gold Biotechnology
Content/Marketing Department
(800) 248-7609
Last updated: 8/23/2019