

# Certificate of Analysis

**Product Name:** Norfloxacin  
**Cat #:** N-700  
**CAS #:** 70458-96-7  
**Lot #:** Lot Specific  
**Retest Date<sup>†</sup>:** Lot Specific  
**Storage:** Store at 4°C.

Test	Specs	Results
Appearance	White or pale yellow crystalline powder	Complies
Identification	Positive	Complies
Loss on Drying	≤1.0%	<1.0%
Residue on Ignition	≤0.1%	<0.1%
Heavy Metals	≤0.0015%	<0.0015%
Chromatographic Purity	Meets Requirements	Complies
Assay (on Dried Basis)	99.0-101.0%	Complies

\* Gold Biotechnology, Inc. provides this Certificate of Analysis in good faith and to the best of its knowledge. It should not be substituted for the user's own raw material quality control. This material is for laboratory use only.

† If provided, the Certificate of Analysis (COA) retest date corresponds to the recommended storage conditions provided on the COA. If no retest date is shown, the shelf-life for products is 2 years after purchase when stored according to COA recommendations. Retest dates are not rigid, and often only serve an informational purpose. COA retest dates are supplied by the manufacturer; however, GoldBio product labels may contain different storage recommendations to extend the life of the product beyond the manufacturer retest date or 2 years from purchase.

**Gold Biotechnology, Inc.**  
 1328 Ashby Rd.  
 St. Louis, MO 63132  
 P: (314)890-8778  
 F: (314)890-0503  
 E: contactgoldbio86@goldbio.com

Chris Menne  
**QA/QC Department**

Date of issue: 9/14/2017