

Certificate of Analysis

Product Name: Tylosin Tartrate
Cat #: T-550
CAS #: 74610-55-2
Lot #: Lot Specific
Retest Date[†]: Lot Specific
Storage: Store at 4°C.

Test	Specs	Results
Characteristic	Almost white to slightly yellow powder	Complies
Identification	Positive	Complies
pH	5.0-7.2	Complies
Composition		
- Tylosin A	≥80.0%	>80.0%
- Sum of Tylosin A, B, C, D	≥95.0%	>95.0%
Tyramine	≤3.5%	<3.5%
Loss on Drying	≤4.5%	<4.5%
Sulfated Ash	≤2.5%	<2.5%
Assay (on dried basis)	≥800 IU/mg	>800 IU/mg

* Gold Biotechnology, Inc. provides this Certificate of Analysis in good faith and to the best of its knowledge. It should not be substituted for the user's own raw material quality control. This material is for laboratory use only.

† If provided, the Certificate of Analysis (COA) retest date corresponds to the recommended storage conditions provided on the COA. If no retest date is shown, the shelf-life for products is 2 years after purchase when stored according to COA recommendations. Retest dates are not rigid, and often only serve an informational purpose. COA retest dates are supplied by the manufacturer; however, GoldBio product labels may contain different storage recommendations to extend the life of the product beyond the manufacturer retest date or 2 years from purchase.

Gold Biotechnology, Inc.
 1328 Ashby Rd.
 St. Louis, MO 63132
 P: (314)890-8778
 F: (314)890-0503
 E: contactgoldbio86@goldbio.com

Chris Menne
QA/QC Department

Date of issue: 9/14/2017